

Prepared for:
HW Group LLC
7635 W 148th St #208
Apple Valley, Minnesota USA 55124


Paloma 10 mg Sample 1

Batch ID or Lot Number: 23293NR	Test: Potency	Reported: 27Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000266092	Started: 27Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.154	0.510	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.141	0.466	ND	ND	
Cannabidiol (CBD)	0.446	1.290	ND	ND	
Cannabidiolic Acid (CBDA)	0.457	1.323	ND	ND	
Cannabidivarin (CBDV)	0.105	0.305	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.191	0.552	ND	ND	
Cannabigerol (CBG)	0.088	0.289	ND	ND	
Cannabigerolic Acid (CBGA)	0.366	1.210	ND	ND	
Cannabinol (CBN)	0.114	0.378	ND	ND	
Cannabinolic Acid (CBNA)	0.250	0.826	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.436	1.442	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.396	1.309	10.020	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.351	1.160	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.263	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.309	1.023	ND	ND	
Total Cannabinoids			10.020	0.00	
Total Potential THC			10.020	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
27Dec2023
02:34:00 PM MST

PREPARED BY / DATE



Sam Smith
27Dec2023
02:35:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/fbaa6638-de29-4850-a1f0-e6cd961edfba>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
fbaa6638de294850a1f0e6cd961edfba.1