

Prepared for:

Bauhaus Brew Labs

1315 Tyler St. NE

Minneapolis, Minnesota United States 55413


Tetra Juiced #1023

Batch ID or Lot Number: 1023	Test: Potency	Reported: 27Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000257408	Started: 27Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.160	0.522	ND	ND	# of Servings = 1, Sample Weight=370g
Cannabichromenic Acid (CBCA)	0.146	0.478	ND	ND	
Cannabidiol (CBD)	0.520	1.347	ND	ND	
Cannabidiolic Acid (CBDA)	0.533	1.382	ND	ND	
Cannabidivarin (CBDV)	0.123	0.319	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.222	0.576	ND	ND	
Cannabigerol (CBG)	0.091	0.297	ND	ND	
Cannabigerolic Acid (CBGA)	0.380	1.240	ND	ND	
Cannabinol (CBN)	0.118	0.387	ND	ND	
Cannabinolic Acid (CBNA)	0.259	0.846	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.452	1.477	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.411	1.341	10.500	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.364	1.188	ND	ND	
Tetrahydrocannabivarin (THCV)	0.083	0.270	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.321	1.048	ND	ND	
Total Cannabinoids			10.500	0.00	
Total Potential THC			10.500	0.00	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
27Sep2023
12:44:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
27Sep2023
12:54:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/30a94e20-d9bc-4de8-94c3-88e80daf26b8>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
30a94e20d9bc4de894c388e80daf26b8.1