

Fair State Brewing Cooperative


 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0558

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom strawberry lemongrass

Ingestible, Beverage


0.001%

4.7 mg/serving

Total THC

0.003 %

9.9 mg/serving

Total CBD

0.007%

24.3 mg/serving

Total Cannabinoids

Cannabinoids

Date Tested: 04/13/2023

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBD | 0.003 | 0.028 | 0.028 | 9.920 | 0.001 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBG | 0.001 | 0.014 | 0.014 | 5.092 | 0.001 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBL | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBN | 0.001 | 0.013 | 0.013 | 4.584 | 0.001 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ9-THC | 0.001 | 0.013 | 0.013 | 4.745 | 0.001 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |

Method: HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation

Summary

Pass

Mycotoxins

Pass

Heavy Metals

Pass

Pesticides

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com



Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908**Sample: 2304AIT0210.0558**Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 04/12/2023; Report Created: 04/14/2023**Maison Bloom strawberry lemongrass**

Ingestible, Beverage

**Mycotoxins****Pass**

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Units | Status |
|--------------|------|-------|-------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin B2 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G2 | 1.00 | 20.00 | <LOQ | Pass |
| Ochratoxin A | 1.00 | 20.00 | <LOQ | Pass |

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com**Ben Gaboury****Senior Analytical Chemist**Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0210.0558

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom strawberry lemongrass

Ingestible, Beverage

**Heavy Metals****Pass**

Date Tested: 04/14/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com

Ben Gaboury**Senior Analytical Chemist**

Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0558

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom strawberry lemongrass

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | <LOQ | Pass |
| Acephate | 0.01 | 0.40 | <LOQ | Pass |
| Acequinocyl | 0.01 | 2.00 | <LOQ | Pass |
| Acetamiprid | 0.01 | 0.20 | <LOQ | Pass |
| Aldicarb | 0.01 | 0.40 | <LOQ | Pass |
| Azoxystrobin | 0.01 | 0.20 | <LOQ | Pass |
| Bifenazate | 0.01 | 0.20 | <LOQ | Pass |
| Bifenthrin | 0.01 | 0.20 | <LOQ | Pass |
| Boscalid | 0.01 | 0.40 | <LOQ | Pass |
| Carbaryl | 0.01 | 0.20 | <LOQ | Pass |
| Carbofuran | 0.01 | 0.20 | <LOQ | Pass |
| Chlorantraniliprole | 0.01 | 0.20 | <LOQ | Pass |
| Chlorfenapyr | 0.01 | 1.00 | <LOQ | Pass |
| Chlorpyrifos | 0.01 | 0.20 | <LOQ | Pass |
| Clofentezine | 0.01 | 0.20 | <LOQ | Pass |
| Cyfluthrin | 0.01 | 1.00 | <LOQ | Pass |
| Cypermethrin | 0.01 | 1.00 | <LOQ | Pass |
| Daminozide | 0.01 | 1.00 | <LOQ | Pass |
| DDVP | 0.01 | 1.00 | <LOQ | Pass |
| Diazinon | 0.01 | 0.20 | <LOQ | Pass |
| Dimethoate | 0.01 | 0.20 | <LOQ | Pass |
| Ethoprophos | 0.01 | 0.20 | <LOQ | Pass |
| Etofenprox | 0.01 | 0.40 | <LOQ | Pass |
| Etoxazole | 0.01 | 0.20 | <LOQ | Pass |
| Fenoxycarb | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0558

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom strawberry lemongrass

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Fenpyroximate | 0.01 | 0.40 | <LOQ | Pass |
| Fipronil | 0.01 | 0.40 | <LOQ | Pass |
| Flonicamid | 0.01 | 1.00 | <LOQ | Pass |
| Fludioxonil | 0.01 | 0.40 | <LOQ | Pass |
| Hexythiazox | 0.01 | 1.00 | <LOQ | Pass |
| Imazalil | 0.01 | 0.20 | <LOQ | Pass |
| Imidacloprid | 0.01 | 0.40 | <LOQ | Pass |
| Kresoxim Methyl | 0.01 | 0.40 | <LOQ | Pass |
| Malathion | 0.01 | 0.20 | <LOQ | Pass |
| Metalaxyl | 0.01 | 0.20 | <LOQ | Pass |
| Methiocarb | 0.01 | 0.20 | <LOQ | Pass |
| Methomyl | 0.01 | 0.40 | <LOQ | Pass |
| Methyl Parathion | 0.01 | 0.20 | <LOQ | Pass |
| MGK-264 | 0.01 | 0.20 | <LOQ | Pass |
| Myclobutanil | 0.01 | 0.20 | <LOQ | Pass |
| Naled | 0.01 | 0.50 | <LOQ | Pass |
| Oxamyl | 0.01 | 1.00 | <LOQ | Pass |
| Paclobutrazol | 0.01 | 0.40 | <LOQ | Pass |
| Permethrins | 0.01 | 0.20 | <LOQ | Pass |
| Phosmet | 0.01 | 0.20 | <LOQ | Pass |
| Piperonyl Butoxide | 0.01 | 2.00 | <LOQ | Pass |
| Prallethrin | 0.01 | 0.20 | <LOQ | Pass |
| Propiconazole | 0.01 | 0.40 | <LOQ | Pass |
| Propoxur | 0.01 | 0.20 | <LOQ | Pass |
| Pyrethrins | 0.01 | 1.00 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0558

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom strawberry lemongrass

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Pyridaben | 0.01 | 0.20 | <LOQ | Pass |
| Spinosad | 0.01 | 0.20 | <LOQ | Pass |
| Spiromesifen | 0.01 | 0.20 | <LOQ | Pass |
| Spirotetramat | 0.01 | 0.20 | <LOQ | Pass |
| Spiroxamine | 0.01 | 0.40 | <LOQ | Pass |
| Tebuconazole | 0.01 | 0.40 | <LOQ | Pass |
| Thiacloprid | 0.01 | 0.20 | <LOQ | Pass |
| Thiamethoxam | 0.01 | 0.20 | <LOQ | Pass |
| Trifloxystrobin | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908


Sample: 2304AIT0238.0624

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Watermelon Pink Peppercorn

Ingestible, Beverage



| | | | |
|---|--|--|--|
|  | 0.001% 5.0 mg/serving Total THC | 0.003 % 10.3 mg/serving Total CBD | 0.007% 25.9 mg/serving Total Cannabinoids |
|---|--|--|--|

Cannabinoids

Date Tested: 04/27/2023

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBD | 0.003 | 0.029 | 0.029 | 10.263 | 0.001 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBG | 0.001 | 0.015 | 0.015 | 5.298 | 0.001 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBL | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBN | 0.002 | 0.015 | 0.015 | 5.327 | 0.001 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ9-THC | 0.001 | 0.014 | 0.014 | 4.977 | 0.001 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |

Method: HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation

Summary

| | | |
|-----------------------------------|---------------------------------|-----------------------------------|
| Complete Mycotoxins | Pass Heavy Metals | Complete Pesticides |
|-----------------------------------|---------------------------------|-----------------------------------|

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908**Sample: 2304AIT0238.0624**Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023**Maison Bloom Watermelon Pink Peppercorn**

Ingestible, Beverage

**Mycotoxins****Complete**

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Units | Status |
|--------------|------|-------|-------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | NR | NT |
| Aflatoxin B2 | 1.00 | 20.00 | NR | NT |
| Aflatoxin G1 | 1.00 | 20.00 | NR | NT |
| Aflatoxin G2 | 1.00 | 20.00 | NR | NT |
| Ochratoxin A | 1.00 | 20.00 | NR | NT |

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.comConfident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0238.0624

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Watermelon Pink Peppercorn

Ingestible, Beverage

**Heavy Metals****Pass**

Date Tested: 05/01/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com

Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0238.0624

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Watermelon Pink Peppercorn

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | NR | NT |
| Acephate | 0.01 | 0.40 | NR | NT |
| Acequinocyl | 0.01 | 2.00 | NR | NT |
| Acetamiprid | 0.01 | 0.20 | NR | NT |
| Aldicarb | 0.01 | 0.40 | NR | NT |
| Azoxystrobin | 0.01 | 0.20 | NR | NT |
| Bifenazate | 0.01 | 0.20 | NR | NT |
| Bifenthrin | 0.01 | 0.20 | NR | NT |
| Boscalid | 0.01 | 0.40 | NR | NT |
| Carbaryl | 0.01 | 0.20 | NR | NT |
| Carbofuran | 0.01 | 0.20 | NR | NT |
| Chlorantraniliprole | 0.01 | 0.20 | NR | NT |
| Chlorfenapyr | 0.01 | 1.00 | NR | NT |
| Chlorpyrifos | 0.01 | 0.20 | NR | NT |
| Clofentezine | 0.01 | 0.20 | NR | NT |
| Cyfluthrin | 0.01 | 1.00 | NR | NT |
| Cypermethrin | 0.01 | 1.00 | NR | NT |
| Daminozide | 0.01 | 1.00 | NR | NT |
| DDVP | 0.01 | 1.00 | NR | NT |
| Diazinon | 0.01 | 0.20 | NR | NT |
| Dimethoate | 0.01 | 0.20 | NR | NT |
| Ethoprophos | 0.01 | 0.20 | NR | NT |
| Etofenprox | 0.01 | 0.40 | NR | NT |
| Etiozole | 0.01 | 0.20 | NR | NT |
| Fenoxycarb | 0.01 | 0.20 | NR | NT |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com

 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0238.0624

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Watermelon Pink Peppercorn

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Fenpyroximate | 0.01 | 0.40 | NR | NT |
| Fipronil | 0.01 | 0.40 | NR | NT |
| Flonicamid | 0.01 | 1.00 | NR | NT |
| Fludioxonil | 0.01 | 0.40 | NR | NT |
| Hexythiazox | 0.01 | 1.00 | NR | NT |
| Imazalil | 0.01 | 0.20 | NR | NT |
| Imidacloprid | 0.01 | 0.40 | NR | NT |
| Kresoxim Methyl | 0.01 | 0.40 | NR | NT |
| Malathion | 0.01 | 0.20 | NR | NT |
| Metalaxyl | 0.01 | 0.20 | NR | NT |
| Methiocarb | 0.01 | 0.20 | NR | NT |
| Methomyl | 0.01 | 0.40 | NR | NT |
| Methyl Parathion | 0.01 | 0.20 | NR | NT |
| MGK-264 | 0.01 | 0.20 | NR | NT |
| Myclobutanil | 0.01 | 0.20 | NR | NT |
| Naled | 0.01 | 0.50 | NR | NT |
| Oxamyl | 0.01 | 1.00 | NR | NT |
| Paclobutrazol | 0.01 | 0.40 | NR | NT |
| Permethrins | 0.01 | 0.20 | NR | NT |
| Phosmet | 0.01 | 0.20 | NR | NT |
| Piperonyl Butoxide | 0.01 | 2.00 | NR | NT |
| Prallethrin | 0.01 | 0.20 | NR | NT |
| Propiconazole | 0.01 | 0.40 | NR | NT |
| Propoxur | 0.01 | 0.20 | NR | NT |
| Pyrethrins | 0.01 | 1.00 | NR | NT |

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0238.0624

 Strain: N/A
 Batch#: ; Batch Size: g
 Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Watermelon Pink Peppercorn

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Pyridaben | 0.01 | 0.20 | NR | NT |
| Spinosad | 0.01 | 0.20 | NR | NT |
| Spiromesifen | 0.01 | 0.20 | NR | NT |
| Spirotetramat | 0.01 | 0.20 | NR | NT |
| Spiroxamine | 0.01 | 0.40 | NR | NT |
| Tebuconazole | 0.01 | 0.40 | NR | NT |
| Thiacloprid | 0.01 | 0.20 | NR | NT |
| Thiamethoxam | 0.01 | 0.20 | NR | NT |
| Trifloxystrobin | 0.01 | 0.20 | NR | NT |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com

 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0557

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage


0.001%

4.9 mg/serving

Total THC

0.003 %

11.8 mg/serving

Total CBD

0.008%

26.8 mg/serving

Total Cannabinoids

Cannabinoids

Date Tested: 04/13/2023

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBD | 0.003 | 0.033 | 0.033 | 11.799 | 0.001 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBG | 0.001 | 0.015 | 0.015 | 5.261 | 0.001 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBL | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBN | 0.001 | 0.014 | 0.014 | 4.819 | 0.001 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ9-THC | 0.001 | 0.014 | 0.014 | 4.947 | 0.001 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |

Method: HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation

Summary

Pass

Mycotoxins

Pass

Heavy Metals

Pass

Pesticides

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0210.0557

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage



Mycotoxins

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Units | Status |
|--------------|------|-------|-------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin B2 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G2 | 1.00 | 20.00 | <LOQ | Pass |
| Ochratoxin A | 1.00 | 20.00 | <LOQ | Pass |

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Ben Gaboury

Senior Analytical Chemist



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0210.0557

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage

**Heavy Metals****Pass**

Date Tested: 04/14/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Ben Gaboury

Senior Analytical Chemist

Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0557

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | <LOQ | Pass |
| Acephate | 0.01 | 0.40 | <LOQ | Pass |
| Acequinocyl | 0.01 | 2.00 | <LOQ | Pass |
| Acetamiprid | 0.01 | 0.20 | <LOQ | Pass |
| Aldicarb | 0.01 | 0.40 | <LOQ | Pass |
| Azoxystrobin | 0.01 | 0.20 | <LOQ | Pass |
| Bifenazate | 0.01 | 0.20 | <LOQ | Pass |
| Bifenthrin | 0.01 | 0.20 | <LOQ | Pass |
| Boscalid | 0.01 | 0.40 | <LOQ | Pass |
| Carbaryl | 0.01 | 0.20 | <LOQ | Pass |
| Carbofuran | 0.01 | 0.20 | <LOQ | Pass |
| Chlorantraniliprole | 0.01 | 0.20 | <LOQ | Pass |
| Chlorfenapyr | 0.01 | 1.00 | <LOQ | Pass |
| Chlorpyrifos | 0.01 | 0.20 | <LOQ | Pass |
| Clofentezine | 0.01 | 0.20 | <LOQ | Pass |
| Cyfluthrin | 0.01 | 1.00 | <LOQ | Pass |
| Cypermethrin | 0.01 | 1.00 | <LOQ | Pass |
| Daminozide | 0.01 | 1.00 | <LOQ | Pass |
| DDVP | 0.01 | 1.00 | <LOQ | Pass |
| Diazinon | 0.01 | 0.20 | <LOQ | Pass |
| Dimethoate | 0.01 | 0.20 | <LOQ | Pass |
| Ethoprophos | 0.01 | 0.20 | <LOQ | Pass |
| Etofenprox | 0.01 | 0.40 | <LOQ | Pass |
| Etoxazole | 0.01 | 0.20 | <LOQ | Pass |
| Fenoxycarb | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0557

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Fenpyroximate | 0.01 | 0.40 | <LOQ | Pass |
| Fipronil | 0.01 | 0.40 | <LOQ | Pass |
| Flonicamid | 0.01 | 1.00 | <LOQ | Pass |
| Fludioxonil | 0.01 | 0.40 | <LOQ | Pass |
| Hexythiazox | 0.01 | 1.00 | <LOQ | Pass |
| Imazalil | 0.01 | 0.20 | <LOQ | Pass |
| Imidacloprid | 0.01 | 0.40 | <LOQ | Pass |
| Kresoxim Methyl | 0.01 | 0.40 | <LOQ | Pass |
| Malathion | 0.01 | 0.20 | <LOQ | Pass |
| Metalaxyl | 0.01 | 0.20 | <LOQ | Pass |
| Methiocarb | 0.01 | 0.20 | <LOQ | Pass |
| Methomyl | 0.01 | 0.40 | <LOQ | Pass |
| Methyl Parathion | 0.01 | 0.20 | <LOQ | Pass |
| MGK-264 | 0.01 | 0.20 | <LOQ | Pass |
| Myclobutanil | 0.01 | 0.20 | <LOQ | Pass |
| Naled | 0.01 | 0.50 | <LOQ | Pass |
| Oxamyl | 0.01 | 1.00 | <LOQ | Pass |
| Paclobutrazol | 0.01 | 0.40 | <LOQ | Pass |
| Permethrins | 0.01 | 0.20 | <LOQ | Pass |
| Phosmet | 0.01 | 0.20 | <LOQ | Pass |
| Piperonyl Butoxide | 0.01 | 2.00 | <LOQ | Pass |
| Prallethrin | 0.01 | 0.20 | <LOQ | Pass |
| Propiconazole | 0.01 | 0.40 | <LOQ | Pass |
| Propoxur | 0.01 | 0.20 | <LOQ | Pass |
| Pyrethrins | 0.01 | 1.00 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0210.0557

 Strain: n/a
 Batch#: ; Batch Size: g
 Sample Received: 04/12/2023; Report Created: 04/14/2023

Maison Bloom peche & honeysuckle

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/13/2023

| Analyte | LOQ | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Pyridaben | 0.01 | 0.20 | <LOQ | Pass |
| Spinosad | 0.01 | 0.20 | <LOQ | Pass |
| Spiromesifen | 0.01 | 0.20 | <LOQ | Pass |
| Spirotetramat | 0.01 | 0.20 | <LOQ | Pass |
| Spiroxamine | 0.01 | 0.40 | <LOQ | Pass |
| Tebuconazole | 0.01 | 0.40 | <LOQ | Pass |
| Thiacloprid | 0.01 | 0.20 | <LOQ | Pass |
| Thiamethoxam | 0.01 | 0.20 | <LOQ | Pass |
| Trifloxystrobin | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


Ben Gaboury

Senior Analytical Chemist


 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0238.0623

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage



0.001%

4.9 mg/serving

Total THC

0.003 %

9.8 mg/serving

Total CBD

0.007%

25.4 mg/serving

Total Cannabinoids

Cannabinoids

Date Tested: 04/27/2023

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBD | 0.003 | 0.028 | 0.028 | 9.840 | 0.001 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBG | 0.001 | 0.014 | 0.014 | 5.094 | 0.001 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBL | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBN | 0.002 | 0.016 | 0.016 | 5.529 | 0.001 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ9-THC | 0.001 | 0.014 | 0.014 | 4.911 | 0.001 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |

Method: HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation

Summary

Complete

Mycotoxins

Pass

Heavy Metals

Complete

Pesticides

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0238.0623

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage



Mycotoxins

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Units | Status |
|--------------|------|-------|-------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | NR | NT |
| Aflatoxin B2 | 1.00 | 20.00 | NR | NT |
| Aflatoxin G1 | 1.00 | 20.00 | NR | NT |
| Aflatoxin G2 | 1.00 | 20.00 | NR | NT |
| Ochratoxin A | 1.00 | 20.00 | NR | NT |

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

2075 Ellis Ave
Saint Paul, MN 55114
joe@fairstate.coop
(517) 775-5908

Sample: 2304AIT0238.0623

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage

**Heavy Metals****Pass**

Date Tested: 05/01/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |

Method: ICPMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com

Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0238.0623

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | NR | NT |
| Acephate | 0.01 | 0.40 | NR | NT |
| Acequinocyl | 0.01 | 2.00 | NR | NT |
| Acetamiprid | 0.01 | 0.20 | NR | NT |
| Aldicarb | 0.01 | 0.40 | NR | NT |
| Azoxystrobin | 0.01 | 0.20 | NR | NT |
| Bifenazate | 0.01 | 0.20 | NR | NT |
| Bifenthrin | 0.01 | 0.20 | NR | NT |
| Boscalid | 0.01 | 0.40 | NR | NT |
| Carbaryl | 0.01 | 0.20 | NR | NT |
| Carbofuran | 0.01 | 0.20 | NR | NT |
| Chlorantraniliprole | 0.01 | 0.20 | NR | NT |
| Chlorfenapyr | 0.01 | 1.00 | NR | NT |
| Chlorpyrifos | 0.01 | 0.20 | NR | NT |
| Clofentezine | 0.01 | 0.20 | NR | NT |
| Cyfluthrin | 0.01 | 1.00 | NR | NT |
| Cypermethrin | 0.01 | 1.00 | NR | NT |
| Daminozide | 0.01 | 1.00 | NR | NT |
| DDVP | 0.01 | 1.00 | NR | NT |
| Diazinon | 0.01 | 0.20 | NR | NT |
| Dimethoate | 0.01 | 0.20 | NR | NT |
| Ethoprophos | 0.01 | 0.20 | NR | NT |
| Etofenprox | 0.01 | 0.40 | NR | NT |
| Etoazole | 0.01 | 0.20 | NR | NT |
| Fenoxycarb | 0.01 | 0.20 | NR | NT |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com

 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0238.0623

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Fenpyroximate | 0.01 | 0.40 | NR | NT |
| Fipronil | 0.01 | 0.40 | NR | NT |
| Flonicamid | 0.01 | 1.00 | NR | NT |
| Fludioxonil | 0.01 | 0.40 | NR | NT |
| Hexythiazox | 0.01 | 1.00 | NR | NT |
| Imazalil | 0.01 | 0.20 | NR | NT |
| Imidacloprid | 0.01 | 0.40 | NR | NT |
| Kresoxim Methyl | 0.01 | 0.40 | NR | NT |
| Malathion | 0.01 | 0.20 | NR | NT |
| Metalaxyl | 0.01 | 0.20 | NR | NT |
| Methiocarb | 0.01 | 0.20 | NR | NT |
| Methomyl | 0.01 | 0.40 | NR | NT |
| Methyl Parathion | 0.01 | 0.20 | NR | NT |
| MGK-264 | 0.01 | 0.20 | NR | NT |
| Myclobutanil | 0.01 | 0.20 | NR | NT |
| Naled | 0.01 | 0.50 | NR | NT |
| Oxamyl | 0.01 | 1.00 | NR | NT |
| Paclobutrazol | 0.01 | 0.40 | NR | NT |
| Permethrins | 0.01 | 0.20 | NR | NT |
| Phosmet | 0.01 | 0.20 | NR | NT |
| Piperonyl Butoxide | 0.01 | 2.00 | NR | NT |
| Prallethrin | 0.01 | 0.20 | NR | NT |
| Propiconazole | 0.01 | 0.40 | NR | NT |
| Propoxur | 0.01 | 0.20 | NR | NT |
| Pyrethrins | 0.01 | 1.00 | NR | NT |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com

 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Fair State Brewing Cooperative

 2075 Ellis Ave
 Saint Paul, MN 55114
 joe@fairstate.coop
 (517) 775-5908

Sample: 2304AIT0238.0623

 Strain: N/A
 Batch#: ; Batch Size: g
 Sample Received: 04/25/2023; Report Created: 05/02/2023

Maison Bloom Lemon Cucumber Sweet Basil

Ingestible, Beverage



Pesticides

Complete

Date Tested: 05/02/2023

| Analyte | LOQ | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
| | PPM | PPM | PPM | |
| Pyridaben | 0.01 | 0.20 | NR | NT |
| Spinosad | 0.01 | 0.20 | NR | NT |
| Spiromesifen | 0.01 | 0.20 | NR | NT |
| Spirotetramat | 0.01 | 0.20 | NR | NT |
| Spiroxamine | 0.01 | 0.40 | NR | NT |
| Tebuconazole | 0.01 | 0.40 | NR | NT |
| Thiacloprid | 0.01 | 0.20 | NR | NT |
| Thiamethoxam | 0.01 | 0.20 | NR | NT |
| Trifloxystrobin | 0.01 | 0.20 | NR | NT |

Methods: LCMS and GCMS

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com

 Confident Cannabis
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.