

Prepared for:

**Fulton Brewing**

2540 2nd Street NE

Minneapolis, MN USA 55418

**1667 - A**

Batch ID or Lot Number: <b>1667</b>	Test: <b>Potency</b>	Reported: <b>30Nov2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000228706	Started: 29Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Nov2022	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.152	0.521	ND	ND	# of Servings = 1, Sample Weight=365.3g
Cannabichromenic Acid (CBCA)	0.139	0.477	ND	ND	
Cannabidiol (CBD)	0.515	1.388	ND	ND	
Cannabidiolic Acid (CBDA)	0.528	1.423	ND	ND	
Cannabidivarin (CBDV)	0.122	0.328	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.220	0.594	ND	ND	
Cannabigerol (CBG)	0.086	0.296	ND	ND	
Cannabigerolic Acid (CBGA)	0.360	1.237	ND	ND	
Cannabinol (CBN)	0.112	0.386	ND	ND	
Cannabinolic Acid (CBNA)	0.245	0.844	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.428	1.474	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.389	1.339	4.220	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.345	1.186	ND	ND	
Tetrahydrocannabivarin (THCV)	0.078	0.269	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.304	1.046	ND	ND	
<b>Total Cannabinoids</b>			<b>4.220</b>	<b>0.00</b>	
Total Potential THC			4.220	0.00	
Total Potential CBD			ND	ND	

## Final Approval



Sam Smith  
01Dec2022  
05:02:00 PM MST

PREPARED BY / DATE



Karen Winternheimer  
01Dec2022  
05:05:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/378d0004-2a12-4393-b1e9-e15937990d11>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329\_02

378d00042a124393b1e9e15937990d11.1