

Prepared for:
Modist Brewing Co.
505 N 3rd St.
Minneapolis, MN USA 54401

Melt: BOV & GLL THC Seltzer - 10mg

Batch ID or Lot Number: T016 & T017	Test: Potency	Reported: 30Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000231599	Started: 28Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.189	0.678	ND	ND	# of Servings = 1, Sample Weight=485g
Cannabichromenic Acid (CBCA)	0.173	0.620	ND	ND	
Cannabidiol (CBD)	0.747	1.798	ND	ND	
Cannabidiolic Acid (CBDA)	0.766	1.844	ND	ND	
Cannabidivarin (CBDV)	0.177	0.425	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.320	0.769	ND	ND	
Cannabigerol (CBG)	0.107	0.385	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.448	1.609	ND	ND	
Cannabinol (CBN)	0.140	0.502	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.306	1.098	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.534	1.917	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.485	1.741	10.610	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.430	1.542	ND	ND	
Tetrahydrocannabivarin (THCV)	0.098	0.350	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.379	1.360	ND	ND	
Total Cannabinoids			10.610	0.00	
Total Potential THC			10.610	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
30Dec2022
10:41:00 AM MST

PREPARED BY / DATE



Sam Smith
30Dec2022
10:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/045ea5a5-34fd-429b-9a57-ef54f28abd6>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
045ea5a534fd429b9a57eff54f28abd6.1